

# Contents

- Abello P → Zeng C  
 Acosta A, Zea S: Sexual reproduction of the reef coral *Montastrea cavernosa* (Scleractinia: Faviidae) in the Santa Marta area, Caribbean coast of Colombia 141  
 Addison SW → Smith A  
 Airoidi L, Cinelli F: Sources and biochemical composition of suspended particulate material in a submarine cave with sulphur water springs 537  
 Akoumianaki I → Thiermann F  
 Allegrucci G, Fortunato C, Sbordoni V: Genetic structure and allozyme variation of sea bass (*Dicentrarchus labrax* and *D. punctatus*) in the Mediterranean Sea 347  
 Andaloro F → Sola L  
 Andersen RJ → Shaw BA  
 Anderson OF → McShane PE  
 Audoglio M → Scapini F  
 Ayre DJ → Murray-Jones SE  
 Baden SP → Eriksson SP  
 Bagley PM → Smith A  
 Barthel D → Fröhlich H  
 Batty RS → Domenici P  
 Bauer B → Schulte-Oehlmann U  
 Bergström BI: Do protandric pandalid shrimp have environmental sex determination? 397  
 Bhaud M → Cha JH  
 Bishop JDD → Pannacciulli FG  
 Boadas MA, Nusetti O, Mundarain F, Lodeiros C, Guderley HE: Seasonal variation in the properties of muscle mitochondria from the tropical scallop *Euvo-la (Pecten) ziczac* 247  
 Bronsdon SK, Rogers AD, Tyler PA, Rice AL, Gage JD: Genetic study of the extent and consequences of sexual and asexual reproduction in the deep-sea epizoa anemones *Amphianthus inornata* and *Kadosactis commensalis* (Cnidaria: Anthozoa) 231  
 Cameron BB → McFadden CS  
 Cha JH, Martin D, Bhaud M: Effects of temperature on oocyte growth in the Mediterranean terebellid *Eupolytnia nebulosa* (Annelida: Polychaeta) 433  
 Charmantier G → Lignot J-H  
 Chelazzi L → Scapini F  
 Choat JH → Meekan MG  
 Cinelli F → Airoidi L  
 Cipelli O → Sola L  
 Colombini I → Scapini F  
 Compère P, Godeaux JEA: On endostyle ultrastructure in two new species of doliolid-like tunicates 447  
 Crossetti D → Sola L  
 Culik BM, Luna-Jorquera G: Satellite tracking of Humboldt penguins (*Spheniscus humboldti*) in northern Chile 547  
 DiMichele L, Westerman ME: Geographic variation in development rate between populations of the teleost *Fundulus heteroclitus* 1  
 DiMichele L → Williamson EG  
 Dionisio-Sese ML, Ishikura M, Maruyama T, Miyachi S: UV-absorbing substances in the tunic of a colonial ascidian protect its symbiont, *Prochloron* sp., from damage by UV-B radiation 455  
 Domenici P, Batty RS: Escape behaviour of solitary herring (*Clupea harengus*) and comparisons with schooling individuals 29  
 Dowe LL → Kaczmarek I  
 Duggins DO, Eckman JE: Is kelp detritus a good food for suspension feeders? Effects of kelp species, age and secondary metabolites 489  
 Eckman JE → Duggins DO  
 Edesa S → Levin LA  
 Eisenhut M, Honegger TG: Ultrastructure of the vitelline coat in the ascidians *Phallusia mammillata*, *Ascidia mentula* and *Ciona intestinalis*: new aspects revealed by freeze-substitution and deep-etching 213  
 El Khattabi M → Fréon P  
 Eriksen NT, Iversen JLL: On-line determination of respiration rates of aquatic organisms in a mono-phase oxystat at steady-state dissolved oxygen tensions 181  
 Eriksson SP, Baden SP: Behaviour and tolerance to hypoxia in juvenile Norway lobster (*Nephrops norvegicus*) of different ages 49  
 Escribano R, Irribarren C, Rodriguez L: Influence of food quantity and temperature on development and growth of the marine copepod *Calanus chilensis* from northern Chile 281  
 Fioroni P → Schulte-Oehlmann U  
 Forbes TL → Holmer M  
 Forbes VE → Holmer M  
 Fortunato C → Allegrucci G  
 Fotel FL → Hansen B  
 Fréon P, El Khattabi M, Mendoza J, Guzmán R: Unexpected reproductive strategy of *Sardinella aurita* of the coast of Venezuela 363  
 Fricke H → Schauer J  
 Fröhlich H, Barthel D: Silica uptake of the marine sponge *Halichondria panicea* in Kiel Bight 115  
 Gaffney PM → Wilbur AE  
 Gage JD → Bronsdon SK  
 Gardner JPA, Kathiravetpillai G: Biochemical genetic variation at a leucine aminopeptidase (LAP) locus in blue (*Mytilus galloprovincialis*) and greenshell (*Perna canaliculus*) mussel populations along a salinity gradient 619  
 Gibson JAE → Swadling KM  
 Giere O → Thiermann F  
 Godeaux JEA → Compère P  
 Gornung E → Sola L  
 Grandperrin R → Lehodey P  
 Grant AJ, Rémond M, People J, Hinde R: Effects of host-tissue homogenate of the scleractinian coral *Plesiastrea versipora* on glycerol metabolism in isolated symbiotic dinoflagellates 665  
 Grosberg RK → McFadden CS  
 Guderley HE → Boadas MA  
 Guzmán R → Fréon P  
 Hansen B, Fotel FL, Jensen NJ, Witttrup L: Physiological effects of the detergent linear alkylbenzene sulphonate on blue mussel larvae (*Mytilus edulis*) in laboratory and mesocosm experiments 627  
 Harayama S → Inoue K  
 Harrison PJ → Shaw BA  
 Hawkins SJ → Pannacciulli FG  
 Heidelberg KB → Kreps TA  
 Hemminga MA → Stapel J  
 Hermeno ET → Kneib RT  
 Higashihara T → Maruyama A  
 Hinde R → Grant AJ  
 Hirche H-J: Life cycle of the copepod *Calanus hyperboreus* in the Greenland Sea 607  
 Hissmann K → Schauer J  
 Holmer M, Forbes VE, Forbes TL: Impact of the polychaete *Capitella* sp. I on microbial activity in an organic-rich marine sediment contaminated with the polycyclic aromatic hydrocarbon fluoranthene 679  
 Honegger TG → Eisenhut M  
 Houtman R, Paul LR, Ungemach RV, Ydenberg RC: Feeding and predator-avoidance by the rose anemone *Urticina piscivora* 225  
 Hove JR, Moss SA: Effect of MS-222 on response to light and rate of metabolism of the little skate *Raja erinacea* 579  
 Hughes DE → Swadling KM  
 Hughes JA → Thiermann F  
 Hyndes GA, Platell ME, Potter IC: Relationships between diet and body size, mouth morphology, habitat and movements of six sillaginid species in coastal waters: implications for resource-partitioning 585  
 Hyndes GA → Valesini FJ  
 Imai I → Itakura S  
 Inoue K, Odo S, Noda T, Nakao S, Takeyama S, Yamada E, Yamazaki F, Harayama S: A possible hybrid zone in the *Mytilus*

- edulis* complex in Japan revealed by PCR markers 91
- Iribarren C → Escibano R
- Ishii T → Otake T
- Ishikura M → Dionisio-Sese ML
- Ishikura M, Kato C, Maruyama T: UV-absorbing substances in zooxanthellate and azooxanthellate clams 649
- Ishiwata H → Maruyama A
- Itakura S, Imai I, Itoh K: "Seed bank" of coastal planktonic diatoms in bottom sediments of Hiroshima Bay, Seto Inland Sea, Japan 497
- Itoh K → Itakura S
- Iversen JLL → Eriksen NT
- Jensen FB → Larsen BK
- Jensen NJ → Hansen B
- Johnston JM → Kalish JM
- Kaczmarek I, Dowe LL: Reproductive biology of the red alga *Polysiphonia lanosa* (Ceramiales) in the Bay of Fundy, Canada 695
- Kalish JM, Johnston JM, Smith DC, Morison AK, Robertson SG: Use of the bomb radiocarbon chronometer for age validation in the blue grenadier *Macruronus novaezealandiae* 557
- Kamiyama T: Growth and grazing responses of tintinnid ciliates feeding on the toxic dinoflagellate *Heterocapsa circularisquama* 509
- Karlton DP → McFadden CS
- Kathiravetpillai G → Gardner JPA
- Kato C → Ishikura M
- Kim Y-O, Taniguchi A: Seasonal variation of excystment pattern of the planktonic oligotrich ciliate *Strombidium conicum* 207
- Kneib RT, Newell SY, Hermeno ET: Survival, growth and reproduction of the salt-marsh amphipod *Uholrchestia spartino-phila* reared on natural diets of senescent and dead *Spartina alterniflora* leaves 423
- Kreps TA, Purcell JE, Heidelberg KB: Escape of the ctenophore *Mnemiopsis leidyi* from the scyphomedusa predator *Chrysaora quinquecirrha* 441
- Larsen BK, Pörtner H-O, Jensen FB: Extra- and intracellular acid-base balance and ionic regulation in cod (*Gadus morhua*) during combined and isolated exposures to hypercapnia and copper 337
- Lehodey P, Grandperrin R, Marchal P: Reproductive biology and ecology of a deep-demersal fish, alfonisino *Beryx splendens*, over the seamounts off New Caledonia 17
- Levin LA, Edesa S: The ecology of cirratulid mudballs on the Oman margin, northwest Arabian Sea 671
- Liang D, Uye S: Population dynamics and production of the planktonic copepods in a eutrophic inlet of the Inland Sea of Japan. IV. *Pseudodiaptomus marinus*, the egg-carrying calanoid 415
- Liang D, Uye S: Seasonal reproductive biology of the egg-carrying calanoid copepod *Pseudodiaptomus marinus* in a eutrophic inlet of the Inland Sea of Japan 409
- Lignot J-H, Trilles J-P, Charmantier G: Effect of an organophosphorus insecticide, fenitrothion, on survival and osmoregulation of various developmental stages of the shrimp *Penaeus japonicus* (Crustacea: Decapoda) 307
- Llewellyn LE: Haemolymph protein in xanthid crabs: its selective binding of saxitoxin and possible role in toxin bioaccumulation 599
- Lodeiros C → Boadas MA
- Luna-Jorquera G → Culik BM
- Lundheim R: Ice nucleation in the blue mussel (*Mytilus edulis*) 267
- Macintosh DJ → Overton JL
- Marchal P → Lehodey P
- Martin D → Cha JH
- Maruyama A, Taniguchi R, Tanaka H, Ishiwata H, Higashihara T: Low-temperature adaptation of deep-sea bacteria isolated from the Japan Trench 705
- Maruyama T → Dionisio-Sese ML
- Maruyama T → Ishikura M
- McFadden CS, Grosberg RK, Cameron BB, Karlton DP, Secord D: Genetic relationships within and between clonal and solitary forms of the sea anemone *Anthopleura elegantissima* revisited: evidence for the existence of two species 127
- McShane PE, Anderson OF: Resource allocation and growth rates in the sea urchin *Evechinus chloroticus* (Echinoidea: Echinometridae) 657
- Meekan MG, Choat JH: Latitudinal variation in abundance of herbivorous fishes: a comparison of temperate and tropical reefs 373
- Mendoza J → Fréon P
- Miyachi S → Dionisio-Sese ML
- Moran AL: Spawning and larval development of the black turban snail *Tegula funebris* (Prosobranchia: Trochidae) 107
- Morison AK → Kalish JM
- Moss SA → Hove JR
- Mourente G, Rodríguez A: Effects of salinity and dietary DHA (22:6n-3) content on lipid composition and performance of *Penaeus kerathurus* postlarvae 289
- Montaudouin X de: Potential of bivalves' secondary settlement differs with species: a comparison between cockle (*Cerastoderma edule*) and clam (*Ruditapes philippinarum*) juvenile resuspension 639
- Mundarain F → Boadas MA
- Murray-Jones SE, Ayre DJ: High levels of gene flow in the surf bivalve *Donax deltoides* (Bivalvia: Donacidae) on the east coast of Australia 83
- Nakahara M → Otake T
- Nakamura R → Otake T
- Nakao S → Inoue K
- Naylor E → Zeng C
- Newell SY → Kneib RT
- Nichols PD → Swadling KM
- Nilsson C → Sundbäck K
- Noda T → Inoue K
- Nusetti O → Boadas MA
- Odmark S → Sundbäck K
- Odo S → Inoue K
- Oehlmann J → Schulte-Oehlmann U
- Otake T, Ishii T, Ishii T, Nakahara M, Nakamura R: Changes in otolith strontium:calcium ratios in metamorphosing *Conger myriaster leptocephali* 565
- Overton JL, Macintosh DJ, Thorpe RS: Multivariate analysis of the mud crab *Scylla serrata* (Brachyura: Portunidae) from four locations in Southeast Asia 55
- Pannaciuoli FG, Bishop JDD, Hawkins SJ: Genetic structure of populations of two species of *Chthamalus* (Crustacea: Cirripedia) in the north-east Atlantic and Mediterranean 73
- Paul LR → Houtman R
- Paul VJ → Puglisi MP
- People J → Grant AJ
- Platell ME → Hyndes GA
- Platell ME → Valesini FJ
- Pörtner H-O → Larsen BK
- Potter IC → Hyndes GA
- Potter IC → Valesini FJ
- Priede IG → Smith A
- Puglisi MP, Paul VJ: Intraspecific variation in the red alga *Portieria hornemannii*: monoterpen concentrations are not influenced by nitrogen or phosphorus enrichment 161
- Purcell JE → Kreps TA
- Rémond M → Grant AJ
- Rice AL → Bronsdon SK
- Risgaard-Petersen N → Rysgaard S
- Ritz DA → Swadling KM
- Robaina RR → Rodrigo M
- Robertson SG → Kalish JM
- Rodrigo M, Robaina RR: Stress tolerance of photosynthesis in sporelings of the red alga *Grateloupia doryphora* compared to that of Stage III thalli 689
- Rodríguez A → Mourente G
- Rodríguez L → Escibano R
- Rogers AD → Bronsdon SK
- Rossi AR → Sola L
- Rysgaard S, Risgaard-Petersen N: A sensitive method for determining nitrogen-15 isotope in urea 191
- Sbordoni V → Allegrucci G
- Scapini F, Audoglio M, Chelazzi L, Colombini I: Astronomical, landscape and climatic factors influencing oriented movements of *Talitrus saltator* in nature 63
- Schauer J, Hissmann K, Fricke H: A method for deployment of externally attached sonic fish tags from a manned submersible and their effects on coelacanths 359

- Schulte-Oehlmann U, Oehlmann J, Fioroni P, Bauer B: Impossex and reproductive failure in *Hydrobia ulvae* (Gastropoda: Prosobranchia) 257
- Secord D → McFadden CS
- Shaw BA, Andersen RJ, Harrison PJ: Feeding deterrent and toxicity effects of apofucosanthinoids and phycotoxins on a marine copepod (*Tigriopus californicus*) 273
- Shin PKS → Wu RSS
- Smith A, Priede IG, Bagley PM, Addison SW: Interception and dispersal of artificial food falls by scavenging fishes in the abyssal Northeast Atlantic: early-season observations prior to annual deposition of phytodetritus 329
- Smith DC → Kalish JM
- Sola L, Cipelli O, Gornung E, Rossi AR, Andaloro F, Crosetti D: Cytogenetic characterization of the greater amberjack, *Seriola dumerili* (Pisces: Carangidae), by different staining techniques and fluorescence in situ hybridization 573
- Stapel J, Hemminga MA: Nutrient resorption from seagrass leaves 197
- Sundbäck K, Odmark S, Wulff A, Nilsson C, Wängberg S-Å: Effects of enhanced UVB radiation on a marine benthic diatom mat 171
- Swadling KM, Gibson JAE, Ritz DA, Nichols PD, Hughes DE: Grazing of phytoplankton by copepods in eastern Antarctic coastal waters 39
- Takeyama S → Inoue K
- Tanaka H → Maruyama A
- Taniguchi A → Kim Y-O
- Taniguchi R → Maruyama A
- Thiermann F, Akoumianaki I, Hughes JA, Giere O: Benthic fauna of a shallow-water gaseohydrothermal vent area in the Aegean Sea (Milos, Greece) 149
- Thorpe RS → Overton JL
- Todd CD → Wieczorek SK
- Tong SM: Heterotrophic flagellates from the water column in Shark Bay, Western Australia 517
- Trilles J-P → Lignot J-H
- Tyler PA → Bronsdon SK
- Ungemach RV → Houtman R
- Uye S → Liang D
- Valesini FJ, Potter IC, Platell ME, Hyndes GA: Ichthyofaunas of a temperature estuary and adjacent marine embayment. Implications regarding choice of nursery area and influence of environmental changes 317
- van Rooij JM, Videler JJ: Mortality estimates from repeated visual censuses of a parrotfish (*Sparisoma viride*) population: demographic implications 385
- Videler JJ → van Rooij JM
- Vismann B → Vistisen B
- Vistisen B, Vismann B: Tolerance to low oxygen and sulfide in *Amphiura filiformis* and *Ophiura albida* (Echinodermata: Ophiuroidea) 241
- Wängberg S-Å → Sundbäck K
- Westerman ME → DiMichele L
- Wieczorek SK, Todd CD: Inhibition and facilitation of bryozoan and ascidian settlement by natural multi-species biofilms: effects of film age and the roles of active and passive larval attachment 463
- Wilbur AE, Gaffney PM: A genetic basis for geographic variation in shell morphology in the bay scallop, *Argopecten irradians* 97
- Williamson EG, DiMichele L: An ecological simulation reveals balancing selection acting on development rate in the teleost *Fundulus heteroclitus* 9
- Wittrup L → Hansen B
- Wu RSS, Shin PKS: Sediment characteristics and colonization of soft-bottom benthos: a field manipulation experiment 475
- Wulff A → Sundbäck K
- Yamaha E → Inoue K
- Yamazaki F → Inoue K
- Ydenberg RC → Houtman R
- Zea S → Acosta A
- Zeng C, Naylor E, Abello P: Endogenous control of timing of metamorphosis in megalopae of the shore crab *Carcinus maenas* 299